

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/589,046	08/10/2006	Keith M. Small	25148-21A	5472
7590 12/02/2008			EXAMINER	
ARTHUR G. SCHAIER CARMODY & TORRANCE LLP 50 LEAVENWORTH STREET P.O. BOX 1110 WATERBURY, CT 06721			MAUNG, ZARNI	
			ART UNIT	PAPER NUMBER
			2451	
WATERBURT,	C1 00721		MAIL DATE	DELIVERY MODE
			12/02/2008	PAPER

NOTICE OF DRAWING INCONSISTENCY WITH SPECIFICATION

	$\frac{O-O6}{C}$ have been received. However, an inconsistency exists between the scription of the Drawings in the specification.
Figures $\underline{\mathcal{S}}$ contained in the Drawings	are listed in the Brief Description of the Drawings in the specification but not .
Figures Drawings in the specificat	are contained in the Drawings but not listed in the Brief Description of the on.

Applicant is required to correct the above-noted inconsistency within a time period of ONE MONTH or THIRTY (30) DAYS, whichever is longer, from the mailing date of this Notice, or within the time remaining in the time period set forth in the Notice of Allowability (Form PTOL-37) to file corrected drawings, whichever is longer. NO EXTENSION OF THIS TIME PERIOD MAY BE GRANTED UNDER EITHER 37 CFR 1.136 (a) OR (b).

Failure to correct the above noted inconsistency will result in abandonment of the application.

The file will be held in the Publishing Division to await the correction of the inconsistency.

Return Corrected Drawings/Specification to:

0 /

Mail Stop Issue Fee Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

571-272-4200 or 1-888-786-0101 **Application Assistance Unit** Office of Data Management